CITY OF LINCOLN COUNTY OF LANCASTER

Vince M. Mejer, CPPO, C.P.M. Purchasing Agent

(402) 441-7410 FAX: (402) 441-6513 purchasing@ci.lincoln.ne.us

QUOTATION REQUEST

Quote Prices F.O.B. Destination Lincoln, Nebraska

Purchasing Division

| Date | - | 4/19/ | |
|-------|----|-------|----|
| Order | No | 1642 | QQ |

Order No. - 1642 OQ Date Due - 04/28/05

OUGUATIONS MUST BE RECEIVED IN THE PURCHASING DIVISION OFFICE BY THE DIVE PALE SPECIFIED AROVE

PLEASE MAKE NECESSARY VENDOR INFORMATION CORRECTIONS ON THIS FORM:

VENDOR INFORMATION

| | K-Street Complex 440 S 8th St Ste 200 Lincoln NE 68508 Kopplin, Tom - Quotes | Buyer | |
|--|---|-------|--|
| Item Number / Description Quantity | Unit UM Price | Price | |
| 98569000000 Radio and Telecommunications Equipment and Accessory Rental or Lease ICOM 706 Mark II G Mobile Ham Radio, as per attached specifications | 1 EA | | |
| 7252776 Radio (Two-Way) Accessories AH-2b Mobile Antenna | 1 EA | | |
| 7252776 Radio (Two-Way) Accessories AH-4 Automatic antenna tuner | 1 EA | | |
| 7252776 Radio (Two-Way) Accessories | 1 EA | | |
| RMK706 Remote Mount Kit Please fax your quotation back to us by 4:3 | 30 p.m. on the | | |

| L VENDOR MUST GOMPL | MEDIE FORMOWING IS |
|--|---|
| The undersigned represents and warrants that he/she has full and complete acceptance by the City/County. The undersigned agrees to comply with a | ete authority to submit this quotation and to enter into a contract upon all conditions above and on reverse side of this document. |
| COMPANY NAME | BY (PRINT NAME) |
| | SIGNATURE |
| | TITLE |
| TELEPHONE | DATE |
| EMPLOYER FEDERAL ID NO. OR | DELIVERY SCHEDULE |
| SOCIAL SECURITY NUMBER | DAYS ARO |

CITY OF LINCOLN **COUNTY OF LANCASTER**

Vince M. Mejer, CPPO, C.P.M. Purchasing Agent

(402) 441-7410 FAX: (402) 441-6513 purchasing@ci.lincoln.ne.us

QUOTATION REQUEST

Quote Prices F.O.B. Destination Lincoln, Nebraska

| Date | _ | 4/19/ | 05 |
|-------|----|-------|----|
| Order | No | 1642 | QQ |

Date Due -04/28/05

PLEASE MAKE NECESSARY VENDOR INFORMATION CORRECTIONS ON THIS FORM:

| 33 |
|-----------|
| |
| |
| |

Reinin Omianin Regist In

Purchasing Division K-Street Complex 440 S 8th St Ste 200 Lincoln NE 68508 Kopplin, Tom - Quotes

Buyer

Total

Price

Unit Item Number / Description Quantity UM Price above referenced date. Fax to attention of Debbie Winkler at 402/441-6513.

| <u> Jenjoj</u> | MUST COMPANIA HERONIO MING L |
|---|---|
| The undersigned represents and warrants that he/she hacceptance by the City/County. The undersigned agree | as full and complete authority to submit this quotation and to enter into a contract upon s to comply with all conditions above and on reverse side of this document. |
| COMPANY NAME | BY (PRINT NAME) |
| ADDRESS | |
| | TITLE |
| TELEPHONE | |
| EMPLOYER FEDERAL ID NO. OR | DELIVERY SCHEDULE |
| SOCIAL SECURITY NUMBER | DAYS ARO |

PURCHASING DIVISION CITY OF LINCOLN AND LANCASTER COUNTY, NEBRASKA INSTRUCTIONS TO BIDDERS

- 1. <u>BIDDING PROCEDURE</u> A bid by a corporation must be signed in the name of such organization by a duly authorized official thereof. Any person signing a bid for a firm, corporation, or other organization must show evidence of his authority so to bind such firm, corporation, or organization. Most departments of the City of Lincoln and Lancaster County agencies are exempt from federal excise taxes and state and local sales and use taxes. Kindly bid without taxes. The City/County will be responsible for paying any taxes which may be due.
- 2. FAIR EMPLOYMENT PRACTICES Each bidder agrees that he/she will not discriminate against any employee or applicant for employment because of age, race, color, religion, ancestry, national origin, disability, sex or marital status, and that he will take affirmative action to assure that applicants are employed and that employees are treated during employment without regard to age, race, color religion, ancestry, national origin, disability, sex or marital status.
- 3. DATA PRIVACY Bidder agrees to abide by all applicable State and Federal laws and regulations concerning the handling and disclosure of private and confidential information concerning individuals and corporations as to inventions, patents and patent rights. The bidder agrees to hold the City/County harmless from any claims resulting from the bidder's unlawful disclosure or use of private or confidential information.
- 4. <u>INDEPENDENT PRICE DETERMINATION</u> By signing and submitting this bid, the bidder certifies that: The prices in this bid have been arrived at independently, without consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor.
- 5. CLARIFICATION OF SPECIFICATION DOCUMENTS Bidders shall promptly notify the Purchasing Agent of any ambiguity, inconsistency or error which they may discover upon examination of the specification documents. Interpretations, corrections and changes made to the specification documents will be made by written addenda. Oral interpretations or changes to the Specification Documents made in any other manner, will not be binding on the City/County; and bidders shall not rely upon such interpretations or changes. No addendum will be issued later than forty-eight (48) hours prior to the date and time for receipt of bids, except: An addendum withdrawing or postponing the invitation to bid
- 6. BRAND NAMES If and wherever in the material specifications or proposal form brand names, make, manufacturer, trade name, or vendor catalog number is specified, it is for the purpose of establishing a grade or quality of material only; and the term "or equal" is deemed to follow. It is the bidder's responsibility to identify any alternate items offered in the bid, and prove to the City/County that said item is equal to or better than the product specified. If variations are not stated in the proposal, it will be assumed that the item being bid fully complies with the City/County's specifications.
- 7. <u>DEMONSTRATION/SAMPLES</u> If requested, the bidders shall, at bidder's expense, demonstrate and/or furnish samples of the exact item(s) proposed within seven (7) calendar days from receipt of such request from the City/County.
- 8. <u>DELIVERY</u> Each bidder shall state on his proposal form the date upon which he can make delivery of all equipment or merchandise. F.O.B. to the City/County at the location specified by the City/County, with all transportation charges paid.
- 9. WARRANTIES, GUARANTEES AND MAINTENANCE A copy of the manufacturer's warranties and/or guarantees for the items being bid must accompany your proposal. A copy of your company's maintenance policies and costs must also accompany your proposal. Replacement parts of defective components shall be shipped to the City/County at no cost. If defective parts are required to be returned to the bidder, the shipping costs shall be borne by the bidder.
- 10. ACCEPTANCE OF MATERIAL The finished materials must be new, the latest make or model, of the best quality, unless otherwise specified, and the highest grade workmanship. The material delivered under this proposal shall remain the property of the bidder until a physical inspection and actual usage of this material and/or service is made, and thereafter is accepted by the City/County. The material delivered must be fully in accord with specification documents. In the event the material and/or services supplied to the City/County is found to be defective or does not conform to specification documents, the City/County reserve the right to cancel the order upon written notice to the bidder and return materials to bidder at the bidder's expense. Successful bidder shall be required to furnish title to the material, free and clear of all liens and encumbrances, issued in the name of the City of Lincoln or Lancaster County, Nebraska, as required by the contract documents or purchase orders. Selling dealer's advertising decals, stickers or other signs shall not be affixed to the equipment; vehicle mud flaps shall be installed blank side out with no advertisements. Manufacturer's standard production forings, stampings, nameplates and logos are acceptable.
- BID EVALUATION AND AWARD The signed bid shall be considered an offer on the part of the bidder. Such offer shall be deemed accepted upon issuance by the City/County of purchase orders, contract award notifications, or other contract documents appropriate to the work. No bid shall be modified or withdrawn for a period of sixty (60) calendar days after the time and date established for receiving bids, and each bidder so agrees in submitting the bid. In case of a discrepancy between the unit prices and their extensions, the unit price shall govern. The City/County reserve the right to accept or reject any or all bids, or part of bids, to waive irregularities and technicalities, and to request rebids on the material described in the specification documents.
- 12. <u>TERMS OF PAYMENT</u> Unless other specification provisions state otherwise, payment in full will be made by the City/County within thirty (30) calendar days after all labor has been performed and all equipment or other merchandise has been delivered, and all such labor and equipment and other materials have met all contract specifications.
- 13. <u>LAWS</u> The Laws of the State of Nebraska shall govern the rights, obligations, and remedies of the Parties under this proposal and any agreement reached as a result of this process.

SPECIFICATIONS FOR ICOM 706 MARK II G MOBILE HAM RADIO

GENERAL:

I. Frequency Coverage:

A. Receive: 0.030 - 199.999 MHz*, 400 - 470 MHz*

B. Transmit: 1.8 - 1.999 MHz*

3.5 - 3.999 MHz*
7.0 - 7.300 MHz*
10.1 - 10.150 MHz
14.0 - 14.350 MHz
18.068 - 18.168 MHz
21.0 - 21.450 MHz
24.89 - 24.990 MHz
28.0 - 29.700 MHz
50.0 - 54.000 MHz*

144.0 - 148.000 MHz*
430.0 - 450.000 MHz*

* Varies according to version

II. Mode: USB, LSB, CW, RTTY (FSK), AM, FM, WFM (Rx only)

III. Number of memory channels. : 107 (99 regular, 6 scan edges, 2 call channels)

IV. Antenna connector: SO-239x2 (for HF/50 MHz and 144/430 MHz)/50 ohms

V. Power supply requirement: $13.8 \text{ V} \pm 15\%$ (negative ground)

VI. Frequency stability: Less than ± 7ppm from 1 min. to 60 min. after power

ON. After that rate of stability less than ± 1 ppm/hr. at +25 °C (+77°F).

Temperature fluctuations 0°C to +50°C (+32°F to +122°F) less than ±5 ppm.

VII. Current drain: Transmit max. power 20 A; Receive standby 1.8 A, max. audio 2.0 A

VIII. Usable temperature range: -10°C to 60°C (14°F to 140°F)

IX. Dimensions (projections not included):

A. 167(W) X 58(H) X 200(D) mm

B. 6-9/16(W) X 2-9/32(H) X 7-7/8(D) in

X. Weight: 2.45 kg (5 lb 6 oz)

XI. CI-V connector: 2 conductor, 3.5 (d) mm (1/8")

XII. ACC connector: 13 pin

TRANSMITTER:

I. Output power:

| | SSB/CW/RTTY/F | AIVI |
|-----------|---------------|--------------|
| HF/50 MHz | 5 - 100 W | 2 - 40 W |
| 144 MHz | 2.5 - 50 W | 2 - 20 |
| 440 MHz | 2 - 20 W | W 2 - 8 W |

II. Modulation system:

SSB Balanced modulation
AM Low level modulation
FM Variable reactance

modulation

- III. Spurious emissions: Less than -60 dB (below 47.5 MHz: -50dB; 47.5 50
 - MHz: -50 to -60 dB; above 50 MHz: -60 dB)
- IV. Carrier suppression: More than 40 dB
- V. Unwanted sideband: More than 50 dB
- VI. Microphone connector: 8 pin modular jack (600 ohm KEY connector: 3
 - conductor 6.35 (d) mm (1/4")
- VII. RTTY connector: 3-conductor 3.5 (d) mm (1/8")

RECEIVER:

- I. Receive system:
 - A. SSB/CW/AM/WFM: Double superheterodyne
 - B. FM: Triple superheterodyne
- II. Intermediate frequencies

| | 1st | 2nd | 3rd |
|-------------|-------------|-------------|-----------|
| SSB/AM-N/FM | 69.0115 MHz | 9.0115 MHz | 455 kHz |
| | | | (FM only) |
| CW | 69.0106 MHz | 9.0106 MHz | - |
| RTTY | 69.0105 MHz | 9.0105 MHz | - |
| AM/FM-N | 69.0100 MHz | 9.0100 MHz | 455 kHz |
| | | | (FM only) |
| WFM | 70.7000 MHz | 10.7000 MHz | - |

III. Receive sensitivity (preamp on, except 4 - 4.5 and 8 - 9 MHz)

| | SSB/CW | AM | FM | WFM |
|------------------|-----------|--------|---------|---------|
| | 10 dB S/N | 10 dB | 12 dB | 12 dB |
| | | S/N | SINAD | SINAD |
| 0.5 - 1.8 MHz | - | 13 µV | - | - |
| 1.8 - 28 MHz | 0.15 µV | 2.0 μV | - | - |
| 28 - 29.7 MHz | 0.15 µV | 2.0 µV | 0.5 µV | - |
| 50 MHz band | 0.12 µV | 1.0 μV | 0.25 μV | - |
| 76 - 108 MHz | - | - | - | 10.0 μV |
| 144/440 MHz band | 0.11 µV | 1.0 µV | 0.18 µV | _ |

IV. Squelch Sensitivity (threshold)

SSB Less than 5.6 μ V FM Less than 0.3 μ V

V. Selectivity (normal setting)

SSB, CW, RTTY

More than 2.4 kHz/- 6 dB
Less than 4.8 kHz/- 60 dB
AM/FM-N

More than 8.0 kHz/- 6 dB
Less than 30 kHz/- 36 dB
FM

More than 12 kHz/- 6 dB
Less than 30 kHz/- 6 dB
Less than 30 kHz/- 60 dB

ratio

- VI. Spurious and image rejection ratio:
 - A. SSB/CW/AM More than 70 dB
- VII. Audio output power (at 13.8 V DC): More than 2.0 W at 10% distortion with an 8-ohm load
- VIII. RIT variable range +/-9.99 kHz
- IX. PHONES connector: 3-conductor, 3.5 (d) mm (1/8")/8 ohms
- X. EXT SP connector: 2-conductor, 3.5 (d) mm (1/8")/8 ohms

INCLUDING THE FOLLOWING OPTIONS:

- I. AH-2b Mobile Antenna. Can be matched for 40 to 6 meters using AH-4
- II. AH-4 Automatic antenna tuner 120 watts, 80 to 6 meters
- III. RMK706 accessory kit combines the three most commonly used remoting options into one cost effective bundle. The kit includes:
 - A. MB-62 Mobile Mounting Bracket for 706 MkIIG
 - B. MB-63 Mobile Mounting Bracket for 706 MkIIG front panel
 - C. OPC-581 Front Panel Separation Cable 11 ft (3.5 m).